



U.S. Serial No.: 10/677,986
Attorney Docket: Kulite-92

IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Patent Application of :
Kurtz : Group Art Unit: **2855**
Serial No. **10/677,986** : Atty. Dkt: **Kulite-92**
Filing Date: **10/02/2003** : Examiner: **Ellington, Alandra**
For: **SHUNT CALIBRATION FOR ELECTRONIC PRESSURE SWITCHES**

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT AND RESPONSE

Dear Sir:

Response to the Office Action mailed March 24, 2005 in the above-identified patent application is timely due June 24, 2005. A petition for a two month extension of the time to respond to August 24, 2005 is attached. Accordingly, the present response is deemed to be timely filed. Should there be any fees due and owing with respect to this amendment and response, the Office is authorized to charge such fees to deposit account no. 50-3208. Please enter the following amendments and remarks.

Amendments to the Claims are reflected in the listing of Claims that begins on page 2 of this paper.

Applicant's Remarks begin on Page 6 of this paper.

Certificate of Mailing under 35 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on July 29, 2005.

Susan J. Wert
Signature

Susan J. Wert
Name